

RANGEMASTER®

FARM, RESIDENTIAL AND COMMERCIAL FENCING



MID-CONTINENT
STEEL AND WIRE

Pocket Brochure

RELIABLE, SUSTAINABLE FENCING



INDEX

About RANGEMASTER	02
Acreage Guide & Chart	04
Farm & Ranch Products	06
Hinge Joint Field Fence	08
High Tensile Hinge Joint Field Fence	10
Stiff-Stay Horse Fence	12
Stiff-Stay Sheep & Goat Fence	14
Fixed Knot Fence	16
Barbed Wire	18
High Tensile Barbed Wire	20
Barbless Wire	22
Fence Stays	24
Electric Fence Wire	26
Panels	28
Staples	30
8# Staple Buckets	32
Baler Wire	34
Merchant Wire	36
Residential & Commercial Products	38
Chain Link Fence	40
Crimp Wire	42
Welded Utility Fence	43
Plastic Coated Welded Fence	46
Hexagonal Poultry Netting	48
3 Way Pak Hexagonal Netting	50
Handi-Roll Hexagonal Netting	52
Plastic Coated Hexagonal Netting	54
Hardware Cloth	56
Handi-Roll Hardware Cloth	58
Contact Us	60



Outstanding fence products that will get the job done.



RANGEMASTER brand is backed by MID-CONTINENT STEEL AND WIRE, a division of DEACERO, a fully vertically integrated steel wire manufacturer. You can rest assured that our entire production process, from steel recycling to the manufacturing of our wire fence products, is focused on offering you reliable, sustainable, and best-in-class products at a fair market price. By saving you time and money you can focus on what is really important, the operation of your property.

We ensure our galvanized steel wire products are designed to be lightweight and tough so you can worry less about time labor, posts, and fencing costs.

Peace of mind when and where it counts.



Reliable, cost-effective, and eco-friendly wire fence products.



Reliable

You can find our long-lasting, quality-performing fence products at your local farm supply or hardware store.



Cost-Effective

We strive to always offer you fair market prices on our products so you can save money for other expenses.




Sustainable

We pride ourselves on our 100% recycled and recyclable, sustainable steel fence products.

ACREAGE GUIDE

Use this diagram to calculate the number of Rods of Fence required to enclose fields of different sizes.




Barbed Wire 80 Rods (1,320 ft) per Roll | 1 Rod = 16.5 Ft. | 10 Rods = 165 Ft. | 20 rods = 330 Ft.
Field Fence 20 Rods (330 ft) per Roll | 1/4 Mile = 1,320 Ft. or 80 Rods | 1/2 Mile = 2,640 Ft. or 160 Rods | 1 Mile = 5,280 Ft. or 320 Rods

ACREAGE CHART

Recommendations.

Assumes Square Area to be fenced. The quantity of Fence required will increase as the Area gets narrower and longer.

Acres	Fence 20 Rod Rolls	Fence 100 ft. Rolls	Barbed Wire 80 Rod Rolls 1 Strand	Acres	Fence 20 Rod Rolls	Fence 100 ft. Rolls	Barbed Wire 80 Rod Rolls 1 Strand
1	3	9	1	65	21	68	6
2	4	12	1	70	22	70	6
3	5	15	1	75	22	73	6
4	5	17	2	80	23	75	6
5	6	19	2	85	24	77	6
6	7	21	2	90	24	80	6
7	7	22	2	95	25	82	7
8	8	24	2	100	26	84	7
9	8	25	2	105	26	86	7
10	8	26	2	110	27	88	7
11	8	28	3	115	28	90	7
12	9	29	3	120	28	92	7
13	10	31	3	125	28	94	7
14	10	31	3	150	31	103	8
15	10	33	3	175	34	111	8
16	11	34	3	200	36	118	9
17	11	35	3	225	38	126	10
18	11	36	3	250	40	132	10
19	11	37	3	275	42	139	11
20	12	38	3	300	44	145	11
25	13	42	4	325	46	151	12
30	14	46	4	350	48	157	12
35	15	50	4	375	49	162	13
40	16	53	4	400	51	167	13
45	17	56	5	425	53	173	13
50	18	60	5	450	54	177	14
55	19	62	5	475	56	182	14
60	20	65	5				



FARM & RANCH

Hinge Joint Field Fence · High Tensile Hinge Joint Field Fence · Stiff-Stay Horse Fence · Stiff-Stay Sheep & Goat Fence · Fixed Knot Fence · Electric Fence Wire · Panels · Barbed Wire · High Tensile Barbed Wire · Barbless Wire · Fence Stays · Staples · Baler Wire · Merchant Wire

Reliable farm & ranch
fence products.



RANGEMASTER provides reliable farm and ranch fencing products designed to save you time, labor, and money without sacrificing quality. We offer various types of farm and ranch fence supply products that stand up to even the toughest of livestock and weather.

We value your investment and are dedicated to providing you the best quality wire products, no matter the project. In fact, we have one of the broadest product lines available on the market to help you find what you need.



100% Recycled and Recyclable, Sustainable Steel Products.



HINGE JOINT FIELD FENCE

Uses:


- Livestock confinement.
- Crop protection.
- Erosion control silt fence backing.

Features:


- Hinge joint knot.
- Wire tension curve.
- Commercial Class and Class 1 zinc coated.
- Extra strong top and bottom wire lines.
- UPC Coded.

Advantages:

- Small openings on the bottom to keep small wild animals out.
- Wide openings on the top to keep large wild animals away and livestock confined.
- Easy to install on different kind of surface and terrain.
- Corrosion and weather resistant.
- Resistant to animal impacts.
- Long lasting.
- Meets ASTM-A-116.



HOW TO READ A FIELD FENCE MESH DESIGN



Commercial Class

Design	Filler Gauge	Top / Bottom Gauge	Fence Height	Roll Length	Rolls per Pallet	Spacing Vertical Wires	Part No.
			(")	(')			
832/6 12.75	12.75	10.5	32	330	9	6	6667
939/6 12.75	12.75	10.5	39	330	9	6	6668
939/6 14.5	14.5	11	39	330	9	6	6703
1047/6 12.75	12.75	10.5	47	330	9	6	6670
1047/6 14.5	14.5	11	47	330	9	6	6704
1047/12 12.75	12.75	10.5	47	330	9	12	6676

Class 1

Design	Filler Gauge	Top / Bottom Gauge	Fence Height	Roll Length	Rolls per Pallet	Spacing Vertical Wires	Part No.
			(")	(')			
726/6 12.5	12.5	10	26	330	9	6	6653
832/6 12.5	12.5	10	32	330	9	6	6654
832/12 12.5	12.5	10	32	330	9	12	6658
832/6 14.5	14.5	11	32	330	9	6	6693
1035/6 14.5	14.5	11	35	330	9	6	6717
1035/12 14.5	14.5	11	35	330	9	12	6718
939/6 12.5	12.5	10	39	330	9	6	6655
939/12 12.5	12.5	10	39	330	9	12	6659
939/6 14.5	14.5	11	39	330	9	6	6694
1047/6 12.5	12.5	10	47	330	9	6	6656
1047/12 12.5	12.5	10	47	330	9	12	6660
1047/6 14.5	14.5	11	47	330	9	6	6695
1156/12 12.5	12.5	10	56	330	9	12	6679

HIGH TENSILE HINGE JOINT FIELD FENCE

Uses:


- Livestock confinement.
- Crop protection.
- Land fencing and sideline dividers.

Features:

- Hinge joint knot.
- High tensile wire.
- Class 3 zinc coated.
- Wire tension curve.
- Extra strong top and bottom wire lines.
- UPC Coded.

Advantages:

- Small openings on the bottom to keep small wild animals out.
- Wide openings on the top to keep large wild animals away and livestock confined.
- Easy to install on different kind of surface and terrain.
- Resistant under severe weather conditions.
- High tensile wire will not stretch and sag like low tensile wire.
- Long lasting.
- Meets ASTM-A-116.



High Tensile Class 3

Design	Filler Gauge	Top / Bottom Gauge	Fence Height	Roll Length	Rolls per Pallet	Spacing Vertical Wires	Part No.
			(")	(')			
726/6 14.5	14.5	12.5	26	330	9	6	6770
726/6 14	14	12.5	26	330	9	6	7051
832/6 14.5	14.5	12.5	32	330	9	6	6771
939/6 14.5	14.5	12.5	39	330	9	6	6772
939/6 12.5	12.5	10.5	39	330	9	6	6757
1047/6 14.5	14.5	12.5	47	330	9	6	6773
1047/6 12.5	12.5	12.5	47	330	9	6	7016
1047/6 12.5	12.5	10.5	47	330	9	6	6758

STIFF-STAY HORSE FENCE



Uses:

- Horse fencing.
- Horse paddock boundary and interior protection.

Features:

- Stiff-Stay knot.
- 2" x 4" spacing.
- Class 1, Class 3, and XTREME Coating + Black Paint.
- Wire tension curve.
- UPC Coded.

Advantages:

- Mesh spacing prevents horses from stepping through the fence.
- Keeps the same shape after intense hitting by horses.
- Most versatile fabric for all kinds of livestock.
- Easy to install on any kind of surface or terrain.
- Long lasting.
- Meets ASTM-A-641.



Class 1

Filler Gauge	Top / Bottom Gauge	Mesh Spacing	Fence Height	Roll Length	Rolls per Pallet	Part No.
		(")	(")	(')		
12.5	10	2x4	48	100	9	6795
12.5	10	2x4	48	200	4	6955
12.5	10	2x4	60	100	9	6793
12.5	10	2x4	60	200	4	6956
12.5	10	2x4	72	100	9	6794
12.5	10	2x4	72	200	4	6957

Class 3

Filler Gauge	Top / Bottom Gauge	Mesh Spacing	Fence Height	Roll Length	Rolls per Pallet	Part No.
		(")	(")	(')		
12.5	10	2x4	48	100	9	6962
12.5	10	2x4	48	200	4	6958
12.5	10	2x4	60	100	9	6963
12.5	10	2x4	60	200	4	6959
12.5	10	2x4	72	200	4	6960

High Tensile Class 3

Filler Gauge	Top / Bottom Gauge	Mesh Spacing	Fence Height	Roll Length	Rolls per Pallet	Part No.
		(")	(")	(')		
12.5	12.5	2x4	48	100	9	7022
12.5	12.5	2x4	48	200	4	7023
12.5	12.5	2x4	60	100	9	6996
12.5	12.5	2x4	60	200	4	7021
12.5	12.5	2x4	72	100	9	7024

XTREME Coating + Black Paint


Filler Gauge	Top / Bottom Gauge	Mesh Spacing	Fence Height	Roll Length	Rolls per Pallet	Part No.
		(")	(")	(')		
12.5	12.5	2x4	48	100	9	7781
12.5	12.5	2x4	48	200	4	7784
12.5	12.5	2x4	60	100	9	7785
12.5	12.5	2x4	60	200	4	7786
12.5	12.5	2x4	72	100	9	7787

STIFF-STAY SHEEP & GOAT FENCE

- Uses:**
- Boundary and interior fencing for sheep and goats.

- Features:**
- Stiff-Stay knot.
 - 4" x 4" spacing.
 - Class 1 and Class 3 zinc coated.
 - Wire tension curve.
 - UPC Coded.

- Advantages:**
- Does not harm sheep and goats during impact.
 - Mesh spacing prevents sheep and goat from stepping through the fence.
 - Easy to install on any kind of surface or terrain.
 - Long lasting.
 - Meets ASTM-A-641.



Class 1

Filler Gauge	Top / Bottom Gauge	Mesh Spacing	Fence Height	Roll Length	Rolls per Pallet	Part No.
		(")	(")	(')		
12.5	10	4x4	48	100	9	6964
12.5	10	4x4	48	330	4	6965

Class 3

Filler Gauge	Top / Bottom Gauge	Mesh Spacing	Fence Height	Roll Length	Rolls per Pallet	Part No.
		(")	(")	(')		
12.5	10	4x4	48	100	9	6966
12.5	10	4x4	48	330	4	6967

High Tensile Class 3

Filler Gauge	Top / Bottom Gauge	Mesh Spacing	Fence Height	Roll Length	Rolls per Pallet	Part No.
		(")	(")	(')		
12.5	12.5	4x4	48	100	9	6998
12.5	12.5	4x4	48	330	4	6997

FIXED KNOT FENCE



Uses:


- Deer and game fencing.
- Exotic animals fencing and confinement.
- Heavy cattle and goat fencing.

Features:

- Fixed knot.
- Class 3 zinc coated.
- Wire tension curve, extra strong bottom and top wire lines.
- UPC Coded.

Advantages:

- Small openings on the bottom to keep small wild animals out.
- Wide openings on the top to keep large wild animals away and livestock confined.
- Resistant to animal impacts.
- Extremely weather resistant
- Long lasting.
- Meets ASTM-A-116



spacing between vertical wires



Fixed Knot

HOW TO READ A FIXED KNOT FENCE DESIGN

Number of
horizontal wires

20 96 / 6

Vertical
wire spacing

Height in inches

High Tensile Class 3

Design	Filler Gauge	Top / Bottom Gauge	Fence Height	Roll Length	Rolls per Pallet	Horizontal Wires	Spacing Vertical Wires	Part No.
			(")	(")				(")
842/6	12.5	12.5	42	330	6	8	6	6986
842/12	12.5	12.5	42	660	5	8	12	6969
1048/12	12.5	12.5	48	330	9	10	12	6937
1348/3	12.5	12.5	48	200	6	13	3	6979
1348/6	12.5	12.5	48	330	6	13	6	6980
1348/12	12.5	12.5	48	330	9	13	12	6981
949/6	12.5	12.5	49	330	6	9	6	6970
949/12	12.5	12.5	49	330	9	9	12	6797
949/6	12.5	12.5	49	500	4	9	6	6920
949/12	12.5	12.5	49	660	5	9	12	6799
1060/6	12.5	12.5	60	330	6	10	6	7036
1561/3	12.5	12.5	61	200	6	15	3	7037
1561/6	12.5	12.5	61	330	6	15	6	6982
1775/6	12.5	12.5	75	330	6	17	6	6983
1796/12	12.5	12.5	96	330	6	17	12	7857
2096/6	12.5	12.5	96	330	6	20	6	6792
2096/12	12.5	12.5	96	330	6	20	12	6973
2096/6	12.5	12.5	96	500	4	20	6	7032
23120/6	12.5	12.5	120	330	4	23	6	6972

BARBED WIRE



Uses:

- Cattle and livestock fencing.
- Land fencing and crop protection.
- Home and business security fencing aid.

Features:

- Extra and uniformly zinc coated.
- Galvanized wires.
- Class 1 and Class 3 zinc coated
- 4 or 2-pointed barbs.
- UPC Coded.

Advantages:

- Barbed Wire Class 1 lasts longer than any other traditional Barbed Wire.
- Barbed Wire Class 3 lasts 3 times longer than any Commercial Barbed Wire.
- Resistant to cattle impact.
- Extremely weather resistant and long lasting.
- Meets ASTM-A-121



Low Tensile
4-point barb



Low Tensile
2-point barb



Class 1

Gauge	Barb Style	Barb Spacing	Roll Length	Rolls per Pallet	Part No.
(")			(")		
12.5	2 PTS	4	1320	27	7112
12.5	2 PTS	5	1320	27	7114
12.5	4 PTS	5	1320	27	7115

Class 3

Gauge	Barb Style	Barb Spacing	Roll Length	Rolls per Pallet	Part No.
(")			(")		
12.5	2 PTS	4	1320	27	7151
12.5	4 PTS	5	1320	27	7104

HIGH TENSILE BARBED WIRE

Uses:

- Cattle and livestock fencing.
- Land fencing and crop protection.
- Home and business security fencing aid.

Features:

- Extra and uniformly zinc coated.
- Extra sharp barbs.
- Class 3 zinc coated.
- No stretching required when installing.
- Barbs fixed between wires.
- UPC Coded.

Advantages:

- Fence lasts 3 times longer than Commercial Barbed Wire.
- Extremely weather resistant and long lasting.
- Needs less labor, time, posts and money to install.
- Easy to install on any kind of surface.
- Resistant to cattle impact.
- Meets ASTM-A-121 Class 3



High Tensile
4-point barb



High Tensile
2-point barb



High Tensile Class 3

Gauge	Barb Style	Barb Spacing	Roll Length	Rolls per Pallet	Part No.
		(")	(")		
14	2 PTS	5	1320	27	7225
14	4 PTS	5	1320	27	7223
15.5	2 PTS	5	1320	48	7202
15.5	4 PTS	5	1320	48	7203
15.5	4 PTS	3	1320	36	7212

BARBLESS WIRE

Uses:

- Cattle and livestock fencing.
- Land fencing and protection.
- Crop protection.
- Application includes the top of a woven wire fence (I. E. horses) or commonly used as brace wire.

Features:

- Uniformly zinc coated.
- Commercial Class, Class 1, and Class 3 zinc coated.
- Heavy duty galvanized wires.
- UPC Coded.

Advantages:

- Easy to install on any kind of surface.
- Adaptable for all fencing needs.
- Resistant to cattle impact.
- Easy to carry and store.
- Long lasting.
- Meets ASTM-A-641.



Barbless
Wire



Commercial Class

Gauge	Roll Length	Rolls per Pallet	Part No.
(")			
12.5	1320	32	7227
14.5	1320	40	7233

Class 1

Gauge	Roll Length	Rolls per Pallet	Part No.
(")			
12.5	1320	32	7228

High Tensile Class 3

Gauge	Roll Length	Rolls per Pallet	Part No.
(")			
14	1320	27	7271

FENCE STAYS

Uses:

- Barbed wire fencing support.

Features:

- Commercial Class zinc coated.
- For different fence heights.
- Used with 12.5 ga. Barbed Wire.
- UPC Coded.

Advantages:

- Saves money on installation by using fewer posts.
- Keep fence shape and barbed wire spacing.
- Extra fence resistance and security.
- Allows posts to be spaced further apart, by minimizing strands to be separated by an animal sticking its head through.
- Long lasting.
- Meets ASTM-A-641.



Commercial Class

Gauge	Height	Pieces per Bundle	Bundles per Pallet	Part No.
(")				
10	36	100	50	7262
10	42	100	50	7263
10	48	100	50	7264



ELECTRIC FENCE WIRE

Uses:

- Rotational grazing fencing.
- Electrified boundary and interior fencing.
- Temporary land fencing.

Features:

- High tensile wire and heavy duty galvanized.
- Breaking strength of 170 to 200 ksi.
- Commercial Class zinc coated wire Spools.
- Class 3 zinc coated wire Coils.
- UPC Coded.

Advantages:

- Saves 77% on posts.
- Metal spools won't break due to handling or adverse weather.
- Wire coils with 6 bands more than the competition.
- Added electric conductivity.
- Weather resistant and long lasting.
- Easy to unroll and install.
- Meets ASTM 845 and ASTM-A-641.



Electric Fence Wire Coil Class 3

Gauge	Steel Grade	Wire Diameter	Weight	Length	Rolls Diam. Approx.	Rolls per Pallet	Part No.
(")				(')	(')		
12.5	1049	0.099	100	4000	1.97	20	5658
12.5	1049	0.099	100	4000	1.97	20	5663

Electric Fence Wire Spools Commercial Class

Gauge	Mile Length	Spools per Box	Approx. Weight per Box	Boxes per Pallet	Part No.
(lbs)					
14	1/2	1	44	36	5681
14	1/4	2	44	36	5680
17	1/2	2	40	36	5683
17	1/4	4	40	36	5682



PANELS



Uses:


- Cattle and livestock confinement.
- Temporary farm and paddock fencing.
- Alley fencing.
- Paddock ventilation.

Features:

- Welding strength of 220 lbs.
- Breaking strength of 170 to 200 ksi.
- Uniformly zinc coated
- UPC Coded.

Advantages:

- Resistant to livestock impacts.
- Price competitive.
- Adaptable to other panel sizes, surfaces and terrains.
- Easy to install.
- Long lasting.
- Meets ASTM-A-641.



spacing between vertical wires

Panel Style	Gauge	Height	Length	Opening	Horiz. Wires	Weight per Panel	Panels per Pallet	Part No.
		(")	(")	(")				
Hog	4	34	16	*Gx8	11	50	50	9459
Combination	4	42	16	*Gx8	11	31	50	80896
Combination	4	50	16	*Gx8	13	33	50	64895
Combination	4	52	16	*Gx8	13	31	50	80897
Cattle	4	50	8	*Gx8	10	40	50	9463
Cattle	4	50	16	*Gx8	10	63	50	9452
Cattle	6	50	16	*Gx8	10	61	50	9858
Cattle	6	52	16	*Gx8	10	78	50	9430
Cattle	4	52	16	*Gx8	10	60	50	9458
Utility	6	34	12	*Gx6	7	71	50	9341
Utility	6	36	16	4x4	10	53	50	85865
Utility	6	36	20	4x4	10	40	50	80907
Utility	4	48	16	4x4	13	36	50	9409
Utility	4	48	20	4x4	13	38	50	80899
Utility	6	48	16	4x4	13	48	50	80908
Utility	6	48	20	4x4	13	94	50	80909
Utility	4	60	16	4x4	16	43	50	80900
Utility	4	60	20	4x4	16	71	50	80901
Utility	6	60	20	4x4	16	53	50	80902
Utility	6	60	16	4x4	16	71	50	84745
Utility	6	72	20	4x4	19	88	50	80903
Utility	6	96	20	4x4	25	105	25	80910
Horse	6	48	12	4x2	13		50	80915
Horse	6	48	16	4x2	13		50	80916
Horse	6	48	20	4x2	13		25	80917
Horse	6	60	12	4x2	16		50	80918
Horse	6	60	16	4x2	16		50	80919
Horse	6	60	20	4x2	16		25	80920
Horse	6	72	20	4x2	19		25	80921

* G - Stands for the graduation.

STAPLES

Uses:

- Support farm fencing on wood posts and bars.

Features:

- Heavy duty galvanized.
- Smooth, barbed, knurled or netting staple finish.
- Extra sharp and with holding points.
- U staple design.
- UPC Coded.

Advantages:

- Extra holding power on wood posts.
- Sharp barbs for easy driving.
- U Staple design will not scratch wire coating.
- Multipurpose.
- Long lasting.
- Meets FF-N-105B.



Galvanized Knurled Staples

Gauge	Length	Weight per Box	Boxes per Pallet	Part No.
(")		(lbs)		
9	1	50	48	7401
9	1 1/4	50	48	7403
9	1 1/2	50	48	7404
9	1 3/4	50	48	7405
9	2	50	48	7406

Galvanized Smooth Staples

Gauge	Length	Weight per Box	Boxes per Pallet	Part No.
(")		(lbs)		
9	1	50	48	7412
9	1 1/4	50	48	7414
9	1 1/2	50	48	7415
9	1 3/4	50	48	7416

Galvanized Netting Staples

Gauge	Length	Weight per Box	Boxes per Pallet	Part No.
(")		(lbs)		
14.75	3/4	50	48	7423

Bright Smooth Staples

Gauge	Length	Weight per Box	Boxes per Pallet	Part No.
(")		(lbs)		
9	1 1/4	50	48	7441
9	1 1/2	50	48	7442
9	1 3/4	50	48	7443

Galvanized Barbed Staples

Gauge	Length	Weight per Box	Boxes per Pallet	Part No.
(")		(lbs)		
8	2	50	48	7365

Galvanized Double Barbed Staples

Gauge	Length	Weight per Box	Boxes per Pallet	Part No.
(")		(lbs)		
8	1 1/4	50	48	7478
8	1 1/2	50	48	7476
8	1 3/4	50	48	7475
8	2	50	48	7477

8# STAPLE BUCKETS

- Uses:**
- Support farm fencing on wood posts and bars.

- Features:**
- Plastic Bucket.
 - 8 pounds per bucket.
 - Barbed and knurled staple finish.
 - Extra sharp and with holding points.
 - UPC Coded.

- Advantages:**
- Extra holding power on wood posts.
 - Sharp barbs for easy driving.
 - Easy to handle and install.
 - Easy to store.
 - Long lasting.
 - Meets FF-N-105B.



Galvanized Knurled Staples

Gauge	Length	Weight per Bucket	Buckets per Box	Buckets per Pallet	Part No.
(")		(lbs)			
9	1 1/4	8	4	45	7466
9	1 1/2	8	4	45	7467
9	1 3/4	8	4	45	7468

Galvanized Barbed Staples

Gauge	Length	Weight per Bucket	Buckets per Box	Buckets per Pallet	Part No.
(")		(lbs)			
8	1 1/2	8	4	45	7464

Galvanized Double Barbed Staples

Gauge	Length	Weight per Bucket	Buckets per Box	Buckets per Pallet	Part No.
(")		(lbs)			
8	1 1/4	8	4	45	7480
8	1 1/2	8	4	45	7479
8	1 3/4	8	4	45	8506

BALER WIRE

Uses:

- Hay bales (wheat, sorghum, corn alfalfa, etc).

Features:

- Oil coated.
- Plastic strapped.
- Colored tags for "start-end" wire points.
- Cardboard protected.
- Usage instructions on product packaging.
- UPC Coded.

Advantages:

- Easy uncoiling.
- Easy to install and handle on any bailing equipment.
- Straps keep roll on its original shape during usage time.
- Minimum wire waste.
- Does not get stuck in the equipment.
- Long lasting wire lubrication.
- Meets ASTM-A-853.



Gauge	Length Approx.	Weight per Box	Boxes per Pallet	Part No.
	(')	(lbs)		
14	65	104	36	5692

MERCHANT WIRE

Uses:

- Lawn and garden fencing
- Home improvements
- Fencing support
- Tie rod holding
- Do-it-yourself (DIY) projects

Features:

- Brightly Galvanized or Smooth Galvanized
- Commercial Class and Class 3 zinc coated
- Black annealed tie wire
- Uniformly zinc coated
- Handi roll design (smooth)
- UPC Coded.

Advantages:

- Easy to handle and store.
- Long lasting.
- Galvanized wires meets ASTM-A-641
- Tie wire meets ASTM-A-853



Tie Wire

Gauge	Length Approx.	Weight	Units per Box	Boxes per Pallet	Part No.
(")		(lbs)			
16.5	330	61	20	48	5689

Galvanized Wire Commercial Class

Gauge	Length Approx.	Weight	Units per Pallet	Part No.
(")		(lbs)		
9	171	10	100	5522
9	1711	100	5	5524

Galvanized Wire Class 3 (10 pounds)

Gauge	Length Approx.	Weight	Units per Pallet	Part No.
(")		(lbs)		
9	171	10	100	5570
11	260	10	100	5576
12.5	406	10	100	5610
14	585	10	100	5582
16	975	10	100	5585

Galvanized Wire Class 3 (100 pounds)

Gauge	Length Approx.	Weight	Units per Pallet	Part No.
(")		(lbs)		
9	1711	100	5	5572
11	2603	100	5	5578
12	3336	100	5	5581
12.5	4068	100	5	5612
14	5858	100	5	5584
16	9753	100	5	5587

RESIDENTIAL & COMMERCIAL

Reliable residential & commercial fence products.



Chain Link Fence · Crimp Wire · Welded Utility Fence · Plastic Coated Welded Fence · Hexagonal Poultry Netting · 3 Way Pak Hexagonal Netting · Handi Roll Hexagonal Netting · Plastic Coated Hexagonal Netting · Hardware Cloth · Handi Roll Hardware Cloth

RANGEMASTER has all the residential & commercial wire fencing you need to protect your property and vulnerable assets. Whether you need a garden border fence or need something for climbing plants, we have all the materials necessary to complete your project.

Our wire fencing products are durable and designed to withstand the toughest of external factors such as extreme weather or wild predators.



100% Recycled and Recyclable, Sustainable Steel Products.



CHAIN LINK FENCE

Uses:

- Dividing side yard or property.
- Warehouse or industrial areas fencing.
- Security areas fencing.
- Residential fencing.
- Parks and playgrounds fencing.
- Gates and dog kennels.

Features:

- Non-Compacted or EZ Roll chain link fences.
- Uniformly zinc coated.
- Class 1, Class 3, and Class 4 zinc coated.
- Knuckle-knuckle or knuckle-twist top mesh finishing.
- UPC Coded.

Advantages:

- Easy to handle and store (EZ Roll).
- Easy to install.
- Corrosion resistant and long lasting.
- Meets ASTM-A-641.



Non Compact Class 1

Design	Gauge	Height	Length	Rolls per Pallet	Part No.
		(")	(')		
2 1/4" Knuckle Twist	11.5	72	50	9	5107

Non Compact Class 3

Design	Gauge	Height	Length	Rolls per Pallet	Part No.
		(")	(')		
2 3/8" Knuckle Knuckle	11.5	42	50	9	5219
2 3/8" Knuckle Knuckle	11.5	48	50	9	5220
2 3/8" Knuckle Knuckle	12.5	48	50	9	5248
2 3/8" Knuckle Knuckle	11.5	60	50	9	5221
2 3/8" Knuckle Knuckle	12.5	60	50	9	5249
2 3/8" Knuckle Knuckle	11.5	72	50	9	5222
2 3/8" Knuckle Twist	11.5	72	50	9	5223
2 3/8" Knuckle Knuckle	12.5	72	50	9	5250
2 3/8" Knuckle Twist	12.5	72	50	9	5251

Non Compact Class 4

Design	Gauge	Height	Length	Rolls per Pallet	Part No.
		(")	(')		
2" Knuckle Knuckle	9	48	50	9	5232
2" Knuckle Knuckle	9	72	50	9	5234
2" Knuckle Twist	9	72	50	9	5235

EZ Roll Class 3

Design	Gauge	Height	Length	Rolls per Pallet	Part No.
		(")	(')		
2 3/8" Knuckle Knuckle	12.5	36	50	20	10657
2 3/8" Knuckle Knuckle	11.5	42	50	20	10640
2 3/8" Knuckle Knuckle	12.5	42	50	20	10658
2 3/8" Knuckle Knuckle	11.5	48	50	20	10641
2 3/8" Knuckle Knuckle	12.5	48	50	20	10659
2 1/4" Knuckle Knuckle	12.5	55.5	50	20	5030
2 3/8" Knuckle Knuckle	11.5	60	50	20	10642
2 3/8" Knuckle Knuckle	12.5	60	50	20	10660
2 1/4" Knuckle Knuckle	12.5	67.5	50	20	5031
2 1/4" Knuckle Knuckle	12.5	70	50	20	5035
2 3/8" Knuckle Knuckle	11.5	72	50	20	10643
2 3/8" Knuckle Twist	11.5	72	50	30	10644
2 3/8" Knuckle Knuckle	12.5	72	50	30	10661
2 3/8" Knuckle Twist	12.5	72	50	30	10662

CRIMP WIRE

Uses:

- Reinforce the top & bottom of a Chain Link.

Features:

- Class 3 zinc coated.
- UPC Coded.

Advantages:

- Long lasting.
- Meets ASTM-A-824.

Class 3

Gauge	Weight	Length	Units per Pallet	Part No.
	(lbs)	(')		
7	79	1000	16	5502
7	100	1238	16	5504



WELDED UTILITY FENCE

Uses:


- Lawn and garden fencing.
- Pet and small animal fencing or cages.
- Tree and flower guard.
- Trash and mulch holders.
- Do it yourself (DIY) projects.
- Tops of greenhouse benches.

Features:

- Galvanized before welding.
- Smooth and uniform mesh edges.
- Welded cross wires
- UPC Coded.

Advantages:

- Adaptable for all fencing needs.
- Corrosion resistant and long lasting.
- Easy to handle and carry.
- Easy to install.
- Meets ASTM-A-641.





Residential Mesh 1x2


Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
1x2	14	24	100	9	10007
1x2	16	36	100	18	10045
1x2	14	36	50	16	10008
1x2	14	36	100	9	10009
1x2	14	48	50	16	10011
1x2	14	48	100	9	10012
1x2	14	60	100	9	10014

Residential Mesh 2x4

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
2x4	14	24	100	20	10020
2x4	14	32	100	10	10030
2x4	14	36	50	18	10022
2x4	14	36	100	10	10023
2x4	14	48	50	18	10025
2x4	14	48	100	10	10026
2x4	14	60	50	18	10028
2x4	14	60	100	10	10029
2x4	14	72	50	18	10032
2x4	14	72	100	10	10033

Residential Mesh 3x2

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
3x2	16	24	50	64	10038



Commercial Mesh 1x1

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
1x1	16	36	100	18	7718
1x1	14	36	100	18	7736
1x1	16	48	100	9	7719
1x1	14	48	100	9	7737
1x1	16	60	100	9	7720

Commercial Mesh 2x2

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
2x2	16	36	100	18	7726
2x2	14	36	100	18	7738
2x2	12.5	48	100	9	7740
2x2	16	48	100	9	7727
2x2	14	48	100	9	7748
2x2	16	60	100	9	7728

Commercial Mesh 2x4

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
2x4	14	36	50	32	7752
2x4	14	36	100	18	7742
2x4	12.5	36	50	32	7732
2x4	12.5	36	100	18	7722
2x4	14	48	50	16	7753
2x4	14	48	100	9	7743
2x4	12.5	48	50	16	7733
2x4	12.5	48	100	9	7723
2x4	14	60	50	16	7754
2x4	14	60	100	9	7744
2x4	12.5	60	50	16	7734
2x4	12.5	60	100	9	7724
2x4	14	72	50	16	7755
2x4	14	72	100	9	7745
2x4	12.5	72	50	16	7735
2x4	12.5	72	100	9	7725

PLASTIC COATED WELDED FENCE

Uses:

- Lawn and garden fencing.
- Backyard enclosures.
- Dividing side lines.
- Veggie gardens fencing.
- Pets and small animals fencing.

Features:

- Green or black plastic coating.
- Galvanized before weaving.
- UPC Coded.

Advantages:

- Extreme weather and humidity resistant.
- Easy to install.
- Resists chipping and peeling.
- Long lasting.
- Meets ASTM-A-390.




Black Coating

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
2x4	13	36	50	18	7908
1x1	15	48	50	18	7903
1 1/2 x4	13	48	50	18	7905
2x4	13	48	50	18	7911
2x4	13	48	100	10	7912
1x2	14	60	100	10	7949
2x4	13	60	50	18	7914
2x4	13	60	100	10	7915
2x4	13	72	50	18	7917
2x4	13	72	100	10	7918

Green Coating

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
3x2	15	36	50	32	7931
2x4	13	48	100	10	7971
3x2	15	48	50	64	7933
2x4	13	60	50	18	7973




HEXAGONAL POULTRY NETTING

- Uses:**
- Poultry and small animal fencing.
 - Lawn & garden fencing.
 - Insulation retainers.
 - Storage bins.
 - Stone wrapping.

- Features:**
- Reinforced wire lines.
 - Even spacing across the net.
 - Galvanized before welding.
 - UPC Coded.

- Advantages:**
- Remains perfectly straight and flat.
 - Adaptable for all fencing needs.
 - Long lasting.
 - Meets ASTM-A-390.



Residential Mesh 1"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
1	20	12	50	118	6401
1	20	12	150	72	6402
1	20	18	50	118	6406
1	20	18	150	54	6407
1	20	24	50	118	6410
1	20	24	150	36	6411
1	20	36	50	59	6419
1	20	36	150	18	6420
1	20	48	50	59	6424
1	20	48	150	18	6425
1	20	60	50	59	6428
1	20	60	150	18	6429
1	20	72	50	59	6432
1	20	72	150	18	6433

Residential Mesh 2"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
2	20	24	50	116	6312
2	20	24	150	48	6313
2	20	36	50	83	6318
2	20	36	150	24	6316
2	20	48	50	83	6324
2	20	48	150	24	6325
2	20	60	50	83	6328
2	20	60	150	24	6329
2	20	72	50	83	6331
2	20	72	150	24	6319



3 WAY PAK HEXAGONAL NETTING

Commercial Mesh 1"

Mesh Spacing	Height	Length	Rolls per Pallet	Part No.
(")	(")	(')		
1	12	150	96	5924
1	18	50	118	5932
1	18	150	72	5925
1	24	25	144	5973
1	24	50	118	5934
1	24	150	48	5926
1	36	25	72	5918
1	36	25	72	5974
1	36	50	59	5906
1	36	50	59	5936
1	36	150	24	5927
1	48	25	72	5975
1	48	50	59	5937
1	48	150	24	5928
1	60	50	59	5938
1	60	150	24	5929
1	72	50	59	5939
1	72	150	24	5930

Commercial Mesh 2"

Mesh Spacing	Height	Length	Rolls per Pallet	Part No.
(")	(")	(')		
2	24	50	166	6025
2	24	150	48	6001
2	36	50	83	6026
2	36	150	24	6002
2	36	150	24	6332
2	48	50	83	6027
2	48	150	24	6003
2	60	50	83	6028
2	60	150	24	6004
2	72	50	83	6029
2	72	150	24	6005
2	72	300	12	6727

Uses:

- Poultry and small animal enclosures.
- Garden and flower fencing.

Features:

- Reinforced wire lines.
- Galvanized before welding.
- UPC Coded.

Advantages:

- A 75-foot roll that can easily cut into 50-foot and 25-foot rolls.
- Meets ASTM-A-390.

Mesh 1"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
1	20	36	75	21	6604
1	20	48	75	21	6605
1	20	60	75	21	6606
1	20	72	75	21	6607



HANDI-ROLL HEXAGONAL NETTING

Uses:


- Poultry and small animal fencing.
- Lawn & garden fencing.
- Insulation retainers and storage bins.
- Stone wrapping.

Features:

- Reinforced wire lines.
- Carton of 12 rolls (1") or 20 rolls (2").
- Even spacing across the net.
- Galvanized before welding.
- UPC Coded.

Advantages:

- Adaptable for all fencing needs and DIY projects.
- Packed in a carton.
- Easy to store and display.
- Easy to handle and install.
- Long lasting.
- Meets ASTM-A-390.



Mesh 1"

Mesh Spacing	Gauge	Height	Length	Rolls per Carton	Cartons per Pallet	Part No.
(")		(")	(')			
1	20	24	25	12	14	6912
1	20	36	25	12	7	6913
1	20	48	25	12	7	6914

Mesh 2"

Mesh Spacing	Gauge	Height	Length	Rolls per Carton	Cartons per Pallet	Part No.
(")		(")	(')			
2	20	36	25	20	6	6916

PLASTIC COATED HEXAGONAL NETTING

Uses:


- Plant support and trellis.
- Decorative fencing.
- Garden and flower fencing.
- Poultry and small animals enclosures.

Features:

- Green or black plastic coating.
- Galvanized before weaving.
- UPC Coded.

Advantages:

- Extreme weather and humidity resistant.
- Easy to install.
- Resists chipping and peeling.
- Long lasting.
- Meets ASTM-A-390.



Mesh 1"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
1	20	18	50	64	6801
1	20	24	50	64	6804
1	20	36	50	32	6807

Mesh 2"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
2	20	36	50	42	6824

HARDWARE CLOTH

Uses:

- Pets and small animal cages.
- Tree and plant guards.
- Bird feeders.
- Garden fencing.
- Loam and sand screening.
- Windows and skylights protection.

Features:

- Heavy duty galvanized.
- Premium galvanized smooth wire lines.
- Reinforced top and bottom wire lines.
- UPC Coded.

Advantages:

- Adaptable for multiple applications.
- Easy to use and install.
- Corrosion resistant and long lasting.
- Extra wire strength.
- Meets ASTM-A-740.



Mesh 1/8"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
8x8	27	24	50	42	10141
8x8	27	36	100	30	10148

Mesh 1/4"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
4x4	23	24	10	70	20124
4x4	23	24	50	45	20126
4x4	23	24	100	30	20127
4x4	23	36	10	70	20132
4x4	23	36	50	45	20134
4x4	23	36	100	30	20135
4x4	23	48	10	70	20136
4x4	23	48	50	45	20138
4x4	23	48	100	30	20139

Mesh 1/2"

Mesh Spacing	Gauge	Height	Length	Rolls per Pallet	Part No.
(")		(")	(')		
2x2	19	24	10	70	20100
2x2	19	24	50	30	20102
2x2	19	24	100	25	20103
2x2	19	36	10	70	20107
2x2	19	36	50	48	20109
2x2	19	36	100	25	20110
2x2	19	48	50	48	20113
2x2	19	48	100	25	20114

HANDI-ROLL HARDWARE CLOTH

Uses:

- Pets and small animal cages.
- Tree and plant guards.
- Garden fencing.
- Loam and sand screening.
- Windows and skylights protection.

Features:

- Heavy duty galvanized.
- Carton of 12 rolls (1/2) or 16 rolls (1/4).
- Premium galvanized smooth wire lines.
- Reinforced top and bottom wire lines.
- UPC Coded.

Advantages:

- Adaptable for multiple applications.
- Easy to store and display.
- Easy to use and install.
- Corrosion resistant and long lasting.
- Meets ASTM-A-740.



Mesh 1/4"

Mesh Spacing	Gauge	Height	Length	Rolls per Carton	Cartons per Pallet	Part No.
(")		(")	(')			
4x4	23	24	5	16	20	7869
4x4	23	36	5	16	20	7870

Mesh 1/2"

Mesh Spacing	Gauge	Height	Length	Rolls per Carton	Cartons per Pallet	Part No.
(")		(")	(')			
2x2	19	24	5	12	20	7867
2x2	19	36	5	12	20	7868



Contact us so we can help protect what is important to you.

RELIABLE, SUSTAINABLE FENCING

We want to hear from you.

Whether you have a question or are unable to find the information you need, feel free to contact us.

LET'S GET IN TOUCH

USA: 1 800 867 6245 CAN: 1 877 343 8575
8411 Irvington Blvd, Suite B, Houston, TX 77022
info@mcswwusa.com | rangemasterfence.com



RANGEMASTER®



A DIVISION OF **DEACERO®**



CONTACT US

USA: 1 800 867 6245 **CAN:** 1 877 343 8575

8411 Irvington Blvd, Suite B, Houston, TX 77022

info@mcswusa.com | rangemasterfence.com